

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,639,333 B1
DATED : October 28, 2003
INVENTOR(S) : Shigeto Kamata et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 1,

Line 14, "an" should read -- a --.

Column 4,


Line 9, "in" should be deleted.

Column 7,

Line 2, "filed" should read -- field --.

Signed and Sealed this


Sixteenth Day of March, 2004

A handwritten signature in black ink, reading "Jon W. Dudas". The signature is stylized, with a large, looped initial "J" and a distinct "D" at the end.

JON W. DUDAS
Acting Director of the United States Patent and Trademark Office

00684.003049

PATENT



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

SHIGETO KAMATA, ET AL.

Appl. No.: 09/619,665

Filed: July 19, 2000

For: LINEAR MOTOR STAGE SYSTEM
FOR USE IN EXPOSURE APPARATUS:

Examiner: Burton S. Mullins

Group Art Unit: 2834

U.S. Patent No.: 6,639,333 B1

Issued: October 28, 2003

February 6, 2004

COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450

Certificate
FEB 11 2004
of Correction

CERTIFICATE OF CORRECTION UNDER RULE 323

Sir:

It is respectfully requested that a Certificate of Correction be issued by the Patent and Trademark Office due to errors which appear in the printed patent as a result of mistakes of a clerical, typographical, or minor character, which were not the fault of the Patent and Trademark Office. A Certificate of Correction form, in duplicate, is enclosed.

Accompanying this letter is a check for \$100.00 to cover the statutory fee for such Certificate of Correction.

FEB 12 2004

09/06/2004 CCHAL2 00000010 6639333

100.00 0P

Patentees' undersigned attorney may be reached in our Washington, D.C. office by telephone at (202) 530-1010. All correspondence should continue to be directed to our address given below.

Respectfully submitted,



Attorney for Patentees
Lawrence A. Stahl
Registration No. 30,110

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
Facsimile: (212) 218-2200

LAS:eyw

DC-MAIN 157270 v1

Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION



PATENT NO. : 6,639,333 B1
DATED : October 28, 2003
INVENTOR(S) : SHIGETO KAMATA, ET AL.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 1

Line 14, "an" should read --a--.

COLUMN 4

Line 9, "in" should be deleted.

COLUMN 7

Line 2, "filed" should read --field--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 6,639,333 B1

No. of add'l. copies
@ 30¢ per page

FEB 12 2004



Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,639,333 B1

DATED : October 28, 2003

INVENTOR(S) : SHIGETO KAMATA, ET AL.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 1:

Line 14, "an" should read --a--.

COLUMN 4:

Line 9, "in" should be deleted.

COLUMN 7:

Line 2, "filed" should read --field--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 6,639,333 B1

No. of add'l. copies
@ 30¢ per page

FEB 12 2004

